

STEARN
Your Other Warehouse
100 *years*
1924 - 2024

FOR ALL YOUR
CATERING EQUIPMENT
NEEDS

AUTOFILL BOILERS WITH FILTRATION

2 OUR WARRANTY
2 YEARS PARTS
2 YEARS LABOUR

*T&Cs Apply



5L Countertop



10L Countertop



20L Countertop



20L Twin Tap

Great option for busy locations
 6kW
 Requires Hardwiring



FILTRATION BENEFITS

- ✓ Easy to replace water filter
- ✓ Filtered water produces a better quality beverage
- ✓ Improved easy access to tank



Easy to install



Requires mains cold water feed



Longer lasting filter



Variable Temperature 70-98°C

Cat No.	Product	Dimensions (mm)
AFF5CT	5L Autofill Countertop	H496 x W349 x D456
AFF10CT	10L Autofill Countertop	H561 x W349 x D456
AFF20CT	20L Autofill Countertop	H696 x W349 x D456
AFF20TT	20L Autofill Twin Tap	H696 x W349 x D456

*T&Cs Apply

AUTOFILL BOILERS WITHOUT FILTRATION

1 OUR WARRANTY
1 YEAR PARTS
1 YEAR LABOUR

*T&Cs Apply

- ✓ Dispenses water at 98°C
- ✓ Cost effective alternative where filtered water isn't required
- ✓ Improved easy access to tank

10L Countertop



20L Countertop

Cat No.	Product	Dimensions (mm)
AFU10CT	10L Auto	H561 x W349 x D456
AFU20CT	20L Auto	H696 x W349 x D456

ALSO AVAILABLE...
WALL MOUNTED
 3, 5, 7.5 & 10L
AUTOFILL BOILERS



SEE PAGE 222 FOR FULL DETAILS



MANUAL FILL BOILERS

3/1 OUR WARRANTY
3 YEARS PARTS
1 YEAR LABOUR

*T&Cs Apply

ALSO AVAILABLE...

Front of House Manual Fill Water Boilers

Fully variable thermostatic control allows for more efficient water boiling. Available in 10, 20 and 30 Litre models.



20L Manual Fill

30L Manual Fill

10L Manual Fill

Cat No.	Product	Dimensions (mm)
MFCT10ST	10L Manual Fill	H380 x W300 x D335
MFCT20ST	20L Manual Fill	H380 x W390 x D430
MFCT30ST	30L Manual Fill	H480 x W390 x D440
HW0110	10L Hand Wash Basin	H840 x W390 x D415

HAND WASH BASIN

- Perfect for outdoor catering, events and other locations such as building sites where mains water isn't available
- Allows over 80 hand washes per fill (based on a 7 second wash cycle)
- Simply fill with water and plug in, simple internal waste water collections allows for easy emptying
- Large fitted castors for manoeuvrability (whilst empty)
- 10L tank capacity
- Foot operated infrared system guarantees maximum hygiene
- Temperature limited to 42°C for safety
- Fitted plug and lead
- Sturdy stainless steel construction





SHARP

R21ATSHARP
28LTR COMMERCIAL MICROWAVE

- 1000W
- 11 Variable cooking controls
- 20 Programmable memory settings
- Double quantity facility
- Express defrost facility
- Demonstration mode
- H309xW520xD406mm
- Stainless steel



SHARP

R22ATSHARP
20LTR COMMERCIAL MICROWAVE

- 1500W
- 11 Variable cooking controls
- 20 Memory settings
- Counter-check option
- Double quantity facility
- Express defrost facility
- H312xW510xD470mm
- Stainless steel



SHARP

R24ATSHARP
20LTR COMMERCIAL MICROWAVE

- 1900W
- 11 Power levels
- 20 Programmable memory settings
- Counter-check option
- Double quantity facility
- Express defrost facility
- H335xW510xD470mm
- Stainless steel



SHARP

R1900MSHARP
21LTR COMMERCIAL MICROWAVE

- 1900W
- Double control panel for easy access
- 100 Programmable memory settings
- Counter-check option
- Triple and double quantity facility
- Express defrost facility
- H346xW445xD520mm
- Stainless steel



MAESTROWAVE

MW10TMAESTRO
25LTR MICROWAVE OVEN

- 1000W
- 3 Power levels
- Touch controls with 10 presets
- x2 Quantity pad
- 3 Stage cooking
- H312xW520xD456mm
- Stainless steel



MAESTROWAVE

MW18TMAESTRO
18LTR MICROWAVE OVEN

- 1800W
- 10 Power levels
- Touch controls with 297 presets
- x2 Quantity pad
- 3 Stage cooking
- H338xW515xD420mm
- Stainless steel



smeg

ALFA43XUKSMEG
COMMERCIAL CONVECTION OVEN

- 3kW
- 4 Trays (435x320mm)
- 50-250°C
- Timer 0-60 minute plus manual
- Enamelled cavity
- Fan oven ideal for baking and reheating
- H537xW602xD584mm
- Stainless steel door



smeg

UD505DSUK
COMMERCIAL UNDERCOUNTER DISHWASHER

- 500mm Sq basket
- 40 baskets per hour max
- Multi phase - switchable on site
- 3 Programs - 90/150/240 secs
- Usable loading height 365mm
- Rinse aid & detergent dispensers
- Insulated double skinned door
- Self diagnosis system with fault warning
- 5.7/4/2.7kW
- Drain pump
- Integral water softener
- Self cleaning cycle
- Rinse booster pump & Break tank
- H820xW580xD600mm
- Stainless steel



smeg

UG405DSUK
COMMERCIAL GLASSWASHER

- 400mm Sq basket
- 40 baskets per hour max
- Integral water softener
- 3 programs - 90/150/240 secs
- Usable loading height 310mm
- Rinse aid & detergent dispensers
- Insulated double skinned door
- Drain pump
- 2.6kW
- 4 Stage filter system
- Self diagnosis system with fault warning
- Self cleaning cycle
- Rinse booster pump & Break tank
- H710xW440xD530mm
- Stainless steel



halco

MC30L4B
INDUCTION HOB

- Adjustable temperature 60-240°C
- Auto pan detection cut-out
- Touchpad controls
- 2.8kW
- H101xW326xD386mm
- Stainless steel



halco

MEMT18012
CONVEYOR TOASTER

- Output of up to 100 slices per hour
- 45mm clearance
- Front or rear output
- Speed control
- 140mm belt width for single slices
- Bun/Toast selector
- Cool to touch
- 0.9kW
- H370xW220xD410mm
- Stainless steel



halco

MEMT18029
CONVEYOR TOASTER

- Output of up to 400 slices per hour
- 55mm clearance
- Front or rear output
- Speed control
- Bun/Toast selector
- Cool to touch
- Quartz Heating Elements
- 1.85kW
- H390xW350xD410mm
- Stainless steel



halco

RHAMHS+
HAND WASH SINK

- Hygienic, hands free operation
- 20 litre freshwater container
- 25 litre dirty water container
- 260mm tapered sink bowl
- Foot operated manual pump
- Swivel deck mounted tap
- Ambient water operation
- Completely mobile
- Splashback as standard
- Hook on paper towel and soap holders
- Removable 6 litre waste bin
- H1145xW603xD455mm
- 1.2mm grade 304 stainless steel



halco

HC1BK
SINGLE DOOR BOTTLE COOLER

- 96 Bottle capacity
- 128Ltr
- 1-10°C temperature range
- Aluminium interior
- 2 Shelves
- LED internal light
- Digital controller
- Self closing doors with lock
- Toughened glass
- Low noise fan
- 1.4kW per 24hr
- H900xW605xD515mm
- Black



halco

HC2BK
DOUBLE HINGED DOOR BOTTLE COOLER

- 166 Bottle capacity
- 200Ltr
- 1-10°C temperature range
- Aluminium interior
- 2 Shelves
- LED internal light
- Digital controller
- Self closing doors with lock
- Toughened glass
- Low noise fan
- 1.9kW per 24hr
- H900xW905xD515mm
- Black



halco

HC2BK-SD
DOUBLE SLIDING DOOR BOTTLE COOLER

- 166 Bottle capacity
- 200Ltr
- 1-10°C temperature range
- Aluminium interior
- 2 Shelves
- LED internal light
- Digital controller
- Self closing doors with lock
- Toughened glass
- Low noise fan
- 1.9kW per 24hr
- H900xW905xD515mm
- Black





Dualit.

Classic Toaster**20245/20237 2 Slot****40352/40344 4 Slot****60144/60145 6 Slot**20245
Stainless Steel40352
Stainless Steel60144
Stainless Steel20237
Black40344
Black60145
Black

- Suitable for commercial use
- Extra-wide 28mm slots
- Slot selector control and mechanical timer
- ProHeat elements, guaranteed for two years
- Handmade in the UK with replaceable parts
- High lift manual eject lever
- Removable crumb tray

**49900****Catering Pop Up Toaster**

- Produces up to 160 slices of toast per hour
- Unique patented ProHeat elements
- Wide, 30mm slots allow for the chunkiest bread
- Independent dual slot control
- Set the browning control for a specific type of bread; the toaster then auto-adjusts the time to ensure consistent browning
- Designed for continual, day in, day out use
- Removable crumb tray



Dualit.

80210**Conveyor Toaster**

- Produces up to 560 slices of white toast or 1,200 slices of thinner fruit loaf an hour
- Bagel setting to heat bottom element only for toasting bagels, buns etc.
- Includes a toast ramp, removable crumb tray and an anti-tamper guard so the toast setting dial can't be changed in buffet service
- Standby setting to conserve up to 70% energy
- Strong and robust incoloy elements
- Ready to use in just 5 minutes
- 9 Browning levels



Dualit.

71500**6 Litre Hotpot Soup Kettle**

- Wet heat only, 300W
- Contemporary rustproof, stainless steel finish with pressed aluminium housing
- Stainless steel inner liner
- Long life heating elements
- Hinged and removable stainless steel lid
- Soup-of-the-day display cards
- Weight 3.4kg



Dualit.

71110**10 Litre Hotpot Soup Kettle**

- Wet heat only, 400W
- Durable powder coated steel finish with pressed aluminium housing
- Stainless steel inner liner
- Long life heating elements
- Hinged and removable stainless steel lid
- Soup-of-the-day display cards
- Weight 4.5kg



Dualit.

Automatic Water Boilers



Quality hot water is on tap 24/7 with the FilterFlow range of water boilers.



- High quality boiling water on tap 24 hours a day
- Built-in water filtration system
- High volume, easy change FilterFlow cartridge
- Large, colour touchscreen display
- Narrow 250mm footprint
- 7-day timer
- Eco setting reduces the volume of boiling water by 50%
- Intelligent predictive eco setting learns usage patterns and adjusts water volume
- Adjustable water temperature from 70°C - 98°C
- Enhanced diagnostics
- Self descale programme to reduce the build-up of scale
- Twin tap version - ideal for the busiest periods

FilterFlow Automatic Water Boilers		
MODEL	POWER	DIMENSIONS
EB3FX	3kW	H596xW250xD525
EB3FX/PB	3kW	H596xW250xD525
EB3FX/TT	3kW	H596xW250xD525
EB3FX/HC/PB	3kW	H596xW250xD570
EB3FX/TALL	3kW	H685xW250xD525
EB4FX	4.5kW	H596xW250xD525
EB6FX	6kW	H685xW250xD525
EB6TFX	6kW	H685xW250xD525

Accessories	
MODEL	DESCRIPTION
BR55	Wall mounting kit - EB3FX and EB4FX
BR56	Wall mounting kit - EB6FX and EB6TFX
BR57	Wall mounting kit - EB3FX/HC/PB
FC04	Filter Cartridge
DP10	Descaler powder

Wall Mounted Automatic Water Boilers



- WMB3F / WMB5F / WMB7F**
- Available in black or white glass front
 - Built-in water filtration system improves water quality
 - Wall mounted compact design
- WMB5FX/PB/B**
- Push button control
 - Colour touch screen programmable display
 - Built-in water filtration system improves water quality
 - Built-in timer
 - Wall mounted compact design
 - Enhanced multi-level diagnostics
- M3F / M5F / M7F / M10F**
- Built-in water filtration system improves water quality
 - Easy install - UK 3 pin plug and three screws
 - Wall mounted compact design

Wall Mounted Automatic Water Boilers		
MODEL	CAPACITY	DIMENSIONS
WMB3F	3.5L	H413xW300xD185
WMB5F	5.5L	H462xW340xD184
WMB7F	7.5L	H462xW340xD224
WMB5FX/PB/B	5.5L	H464xW353xD218
M3F	3.5L	H398xW300xD269
M5F	5.5L	H448xW340xD269
M7F	8L	H563xW340xD269
M10F	10L	H580xW340xD296

Accessories	
MODEL	DESCRIPTION
FC02	Filter Cartridge (WMB3F, 5F, 7F)
FC04	Filter Cartridge (WMB5FX/PB/B) / (M3F, 5F, 7F, 10F)
DP10	Descaler powder
DR72	Drip tray for WMB3F & WMB5F
DR97	Drip tray for WMB5F/PB/B
DR98	Drip tray for WMB7F
DR94	Drip tray for M3Z
DR95	Drip tray for M5F, M7F
DR96	Drip tray for W107F

Toasters

Lincat Specialist



- LT4X / LT6X**
- Unique scissor lifting mechanism
 - Deep slots to allow for artisan breads
 - Number of slots required can be controlled with a switch to reduce energy costs
- CT1**
- High output from compact unit
 - Conveyor speed and both upper and lower elements are adjustable for versatile control of browning
 - Individually controlled heating elements for one-sided toasting

Slot & Conveyor Toasters		
MODEL	POWER	DIMENSIONS
LT4X	2.3kW	H245xW392xD220
LT6X	3kW	H245xW482xD220
CT1	2.4kW	H398xW410xD668

Accessories CT1 ONLY	
MODEL	DESCRIPTION
CT1/CC	Lockable cover for control panel

Pie Cabinets

- Stylish, rounded and compact design
- Minimum food holding temperature of 72°C
- Thermostatic control up to 95°C
- Robust stainless steel construction
- Three chrome-plated rod shelves in LPW model and four in LPW/LR model
- Additionally, model LPW/LR offers - Two 25-watt diffused switchable lights with user-changeable bulbs for enhanced food presentation - Humidity feature to keep food in perfect condition for longer, minimising waste



Pie Cabinets		
MODEL	POWER	DIMENSIONS
LPW	750W	H520xW710xD330
LPW/LR	800W	H520xW710xD330

Convection Ovens

- Compact footprint, starting at 40.5cm wide
- LCOS and LCOT - 2 shelves, LCOXL - 3 shelves
- Powerful fan assisted cooking for consistent results
- Powerful 2.5kW oven for rapid heat up
- Dial controls with 60 minute timer
- Double glass viewing panel delivering energy efficiency and safe cool touch door
- 13 Amp plug for easy plug and play operation



Convection Ovens		
MODEL	POWER	DIMENSIONS
LCOS	2.5kW	H520xW405xD570
LCOT	2.5kW	H520xW495xD570
LCOXL	2.5kW	H605xW670xD570

Accessories CT1 ONLY	
MODEL	DESCRIPTION
SH140	Additional LCOS Shelf
SH139	Additional LCOT Shelf
SH141	Additional LCOXL Shelf

GRAB & GO! GRAB & GO! GRAB & GO!



20/30L HOT WATER BOILER

- Domestic & commercial use, ideal for mobile catering, social functions & meetings
- Concealed Heating element
- Keep hot function
- 30 to 100°C variable temperature control
- Thermal cut out protection
- Power on & heating up indicator light
- Ergonomic safety tap for controlled or continuous flow
- 1.5m cord length
- Carry handles
- Stainless steel construction



Cat No.	Capacity	Power	Dimensions
206992	20L	2.2kW	H441 x Ø300mm
207005	30L	2.85kW	H471 x Ø300mm

