

STEARN
Your Other Warehouse
100 *years*
1924 - 2024



FOR ALL YOUR
SMART TECHNOLOGY
NEEDS



LED Smart Lamps



4L1/8006

4L1/8000

4L1/8001

4L1/8002

4L1/8003

4L1/8004

4L1/8048

4L1/8049

4L1/8007

4L1/8050

4L1/8040

4L1/8041

4L1/8042

4L1/8043



WiFi/BLUETOOTH



SCHEDULES + TIMERS



VOICE CONTROL



SCENES



64,000 WHITES



16 MILLION COLOURS

4lite WIZ Connected Smart Dimmable Lamps

Cat No	Code	Description	Lm	W	CCT	Lifespan	Cap
LEDGLS9ESWWD	4L1/8000	LED A60 WiFi	806	9	2700K	25,000	E27
LEDGLS9BCWWD	4L1/8001	LED A60 WiFi	806	9	2700K	25,000	B22
LEDGLS8BCCTRGBD	4L1/8002	LED A60 WiFi/Bluetooth	806	8	2200-6500K	25,000	B22
LEDGLS8ESCCTRGBD	4L1/8003	LED A60 WiFi/Bluetooth	806	8	2200-6500K	25,000	E27
LEDG9511ESCCTRGB	4L1/8004	LED G95 WiFi/ Bluetooth	1055	11	2200-6500K	25,000	E27
LEDGLS8ESWWD	4L1/8005	LED A60 WiFi/Bluetooth	806	8	2700K	25,000	E27
LEDGLS8BCWWD	4L1/8006	LED A60 WiFi/Bluetooth	806	8	2700K	25,000	B22
LEDKANF4.9SESCCT	4L1/8007	LED C37 Filament Clear WiFi/Bluetooth	470	4.9	2700-6500K	15,000	E14
LEDKANF5SE27D	4L1/8048	LED C37 Warm White WiFi/Bluetooth	470	4.9	2700K	15,000	E14
LEDKANF5SESRGBD	4L1/8049	LED C37 RGB WiFi/Bluetooth	470	4.9	2700-6500K	15,000	E14
LEDKANF5SESCCTD	4L1/8050	LED C35 Filament Amber WiFi/Bluetooth	470	4.9	2000-5000K	15,000	E14
LEDGU105.5CCTRGB	4L1/8040	LED GU10 Colours & Tuneable White WiFi	350	5.5	2200-6500K + RGB	25,000	GU10
LEDGU105.5WWD	4L1/8041	LED GU10 Warm White WiFi	350	5.5	2700K	25,000	GU10
LEDGU104.9CCTD	4L1/8042	LED GU10 Tuneable White WiFi/Bluetooth	345	4.7	2700-6500K	15,000	GU10
LEDGU104.9CCTRGB	4L1/8043	LED GU10 Colours & Tuneable Whites WiFi/BLE	345	4.7	2200-6500K + RGB	15,000	GU10

LED Smart LED Strip and Accessories



4L1/8022

4L1/8031

4L1/8036

4L1/8035

4lite WIZ Connected LED Strip and Accessories

Cat No	Code	Description	Lm	W	CCT	Lifespan
4L1/8022	4L1/8022	LED Strip Light - WiFi/Bluetooth - 2m	2000	30	2700-6500K	25,000
4L1/8023	4L1/8023	LED Strip Light - Extension - 2m	-	-	2700-6500K	25,000
4L1/8031	4L1/8031	WiFi Remote Control	-	-	-	-
4L1/8035	4L1/8035	WiFi Smart Plug	-	-	-	-
4L1/8036	4L1/8036	WiFi Smart Motion PIR Sensor	-	-	-	-

LED Smart Downlights



4L1/2005

4lite WIZ Connected LED Fire Rated Downlight

Cat No	Description	CRI	Lm	W	CCT	Lifespan	IP	BA
4L1/2005	LED Downlight FRD Ra80	Ra80	675	8	2700-6500K	60,000	IP65	70°

Non smart option also available.



4L1/2210

4L1/2211

4L1/2212

4L1/2217

4L1/2216

4L1/2218

4lite WIZ Connected LED GU10 Fire Rated Dimmable Downlight

Cat No	Description	CRI	Lm	W	CCT	Lifespan	IP	BA
4L1/2210	LED Downlight Matt White	Ra90	345	4.9	2700-6500K	15,000	IP65	60°
4L1/2211	LED Downlight Chrome	Ra90	345	4.9	2700-6500K	15,000	IP65	60°
4L1/2212	LED Downlight Satin Chrome	Ra90	345	4.9	2700-6500K	15,000	IP65	60°
4L1/2213	LED Downlight Chrome	Ra90	345	4.9	2700-6500K	15,000	IP20	60°
4L1/2214	LED Downlight Matt White	Ra90	345	4.9	2700-6500K	15,000	IP20	60°
4L1/2215	LED Downlight Satin Chrome	Ra90	345	4.9	2700-6500K	15,000	IP20	60°
4L1/2216	LED Downlight Adj Chrome	Ra90	345	4.9	2700-6500K	15,000	IP20	60°
4L1/2217	LED Downlight Adj Matt White	Ra90	345	4.9	2700-6500K	15,000	IP20	60°
4L1/2218	LED Downlight Adj Satin Chrome	Ra90	345	4.9	2700-6500K	15,000	IP20	60°





GET CONNECTED TO OUR **WIFI CONTROLLED** HEATING SOLUTION

Our **FREE Consort Connect** app lets you control your heating from wherever you are.



See our full WiFi enabled product range on page 176.



Complete control via smartphone/ tablet.



Open window detection.



No hub required. Heaters connect directly to WiFi.



Occupancy sensor & self-learning Automatic mode (only available in 'MW' heaters and SLPBWIFI).



All SL Consort heaters can be controlled by the app via SLPBWIFI* wireless controller.



View energy usage of all connected heaters in the last day, week, month and year.



4 Modes - Frost, Automatic, Manual and Boost.

*The SLPBWIFI wireless controller connects to Consort Connect app which provides the programming and energy saving features, including Boost.



smart rooms with **Wiser**[™]

Introducing Wiser, the beautifully simple multi-zone heating system from Drayton.



What makes Wiser wiser?

- Buildable multi-zoning
- 3 Channels, 16 rooms, 32 devices
- 20 Minute install on industry standard wallplate
- Suitable for 99% of all UK boilers
- Works with Amazon Alexa, the Google Assistant & IFTTT

The **Wiser**[™] options

Life Is On

Drayton
by Schneider Electric



Wiser Thermostat Kit 1

One channel thermostat pack ideal for combi-boilers. Enables you to control heating via the Wiser Heat app.

Cat No.

WT714R9K0902



Wiser Thermostat Kit 2

Two channel thermostat pack ideal for conventional systems. Enables you to control heating and hot water via the Wiser Heat app. Wire in existing cylinder thermostat for hot water control.

Cat No.

WT724R9K0902



Wiser Thermostat Kit 3

Three channel thermostat pack ideal for properties with two heating zones. Enables you to control heating and hot water via the Wiser Heat app. Wire in existing cylinder thermostat for hot water control.

Cat No.

WT734R9K0902



Wiser Multi-zone Kit 1

One channel thermostat system with two radiator thermostats to start zoning your system. Suitable for combination boilers. Control the room thermostat and radiator thermostats via the Wiser Heat app. Add more radiator valves to create more independent zones.

Cat No.

WV714R9K0902



Wiser Multi-zone Kit 2

Two channel thermostat system with two radiator thermostats to start zoning your system. Suitable for conventional boilers. Set schedules for the room thermostat, radiator thermostats and hot water via the Wiser Heat app. Add more radiator valves to create more independent zones.

Cat No.

WV724R9K0902



Expand your Smart Home

Expand your Wiser system with additional radiator thermostats to create smart rooms.

Cat No.

WV704R0A0902

Use the Wiser Plug to schedule your home electrical appliances from the Wiser Heat app.

Cat No.

WB704H1A0902

*ErP Class varies depending on boiler type. ErP shown refers to either a Modulating Boiler or an On/Off Boiler.



Dimplex® · Control



Q-Rad

Dimplex Hub

Quantum

Connect Combine Control

The best electric heating just got better.

See our full RF connected product range on page 188.



Connect with confidence

£10.8bn is expected to be spent by UK consumers on connected home devices this year.

59% of homeowners would prefer a professional to install their connected devices.

Only specific heater models are supported. Dimplex Control support requires additional hardware. In all cases, the purchase of a Dimplex Hub is required to connect to the internet and communicate with supported Dimplex products. Other Terms and Conditions Apply.



Edel Hot Water Heat Pump

An electric water cylinder which uses ducted ambient air to renewably provide domestic hot water



The Edel heat pump consumes three times less electricity than standard electric water heaters



Very quiet operation due to sound proof hood, variable speed fan and a high performance rotary compressor mounted on anti-vibration pads



Compact unit with 630mm diameter with options of 170L, 200L or 270L storage



Stainless steel tank with five year UK guarantee and no requirement for a sacrificial anode



Model	Product	Dimensions (mm)
EDL170-520RF	170L Cylinder RF	Ø520 x H1760mm
EDL200UK-630RF	200L Cylinder RF	Ø630 x H1460mm
EDL270UK-630RF	270L Cylinder RF	Ø630 x H1780mm
EDL170VK	Edel 170L Vent Kit	
EDL170VEK	Edel 170L Vent Extension Kit	



Scan to watch the video

To find out more visit [dimplex.co.uk](https://www.dimplex.co.uk)



PV Solar Straight Connectors





PV Solar Straight connectors EMPV4N and EMPV10N with plug and socket design are constructed using flame retardant engineering thermoplastic suitable for exposure to UV rays and for application in PV power generation system.

EMPV4N	
Voltage	1500V DC
Current	25/45/54A
Cable Size	2.5/4/6mm ²
IP Rating	IP68
With NEC Interlock	

EMPV10N	
Voltage	1500V DC
Current	70A
Cable Size	10mm ²
IP Rating	IP68
With NEC Interlock	

These connectors incorporate a flexible water tight sealing conforming to IP68 and are supplied as 'male (plug)' and 'female (socket)' types to minimize the chance of wrong connections. For proper assembly of individual male and female connectors and for proper functioning of the mated pair, it is necessary that solar cables used are TUV certified as per standard EN 50618/IEC 62930. Straight connectors are certified for PV Solar Cables 2.5, 4.0, 6.0 and 10.0mm² size.

Full selection of connectors also available





Get the latest in EV Charging with our Smart EV Charger

Are you looking for EV Chargers that are easy to install, meet regulations and smart?

Designed with cutting edge technology, deta.e EV chargers offer smart, safe and secure EV charging solutions for residential (single dwelling and communal) and commercial (workplace and public) parking.

eVoom

The compact **deta.e domestic EV charger** is suitable for residential single dwellings and can be used for most electric and hybrid plug-in vehicles.

- Easy Installation
- RFID
- PEN Protection
- Black Casing
- 7.4kW Single Phase
- Software Updates via Wi-Fi
- 5-Year Warranty
- Free to download user app
- Type 2 Socket
- Part No **EVC7007**



eVoomXT

The **deta.e communal EV charger** is a multi-user smart charger designed for communal residential and commercial EV charging (workplace, retail parks).

- Easy Installation
- RFID
- PEN Protection
- Black Casing
- Type 2 Socket
- 7.4kW Single Phase/22kW Three Phase 32A
- Optional intelligent battery diagnostics for longer life
- Load management & phase balancing options available
- Free to download user app
- Part no **EVC7005**

Become a Certified Installer – Free Online Course!

Sign up for training on our deta.e chargers and become a certified, approved installer. You will benefit from the full warranty offered and can be signed up to the deta.e reward scheme.

FOR MORE INFORMATION VISIT [DETA-E.CO.UK](http://deta.e.co.uk) OR CONTACT US FOR DETAILS



T6 Smart Programmable thermostat



- Touch-screen interface** offers easy and optimal heating adjustment
- Access via a mobile device** lets customers have complete control, anytime, anywhere
- Smart automated boiler control** delivers better performance and superior energy efficiency
- Pre-configured scheduling** gives customers a choice of settings to suit their need
- Location-based programming (geo-fencing)** an additional automated layer of control, adjusting the customer's home heating based on their location



Y6H920RW4026



ATP921R3100



Cat No.	Description
Y6H920RW5031	T6R Two Channel Smart Thermostat - Wall Mount
Y6H920RW4026	T6R Two Channel Smart Thermostat - Table Stand



evohome Smart home controls



ATP926G3001



ATF500DHW - HR92UK



HR924UK

Cat No.	Description	Erp Class
ATF500DHW	evohome hot water kit	
ATP921R3100	evohome Wifi connected thermostat pack	VIII 5%
ATP926G3001	evohome essentials pack Contents include 1x evohome connected thermostat 6x HR91 Radiator controllers	
HR92UK	evohome radiator controller	
HR924UK	evohome radiator multizone	
ATF800	evohome desk stand	
ATF600	evohome wall mount kit	
R8810A1018	OpenTherm bridge	
ATC928G3000	evohome controller (table stand not included)	VIII 5%





APEX 7kW Pro Earth AC Charger



The APEX units are single-phase AC EV charger packed full of features, including a five-year warranty, built-in PEN, integral Type A RCBO, and surge protection. The APEX has both WIFI and Bluetooth connectivity, with intelligent solar capabilities, and dynamic load-balancing, up to 96 charge points.

Cat No.

APEX-7S

APEX-7S-4G

APEX-7S-T

APEX-7S-T-4G

- Type 2 Socket
- Pro Earth Pen Fault Protection
- Intelligent Solar
- 5 Year Warranty*
- Free Mobile App
- Intelligent Dynamic Load Balancing

*Subject to terms and conditions



7kW & 22kW Dual Wall AC Charger



The EVA-07D-SE-W (single phase) and EVA-22D-SE-W (three phase) are wall mounted AC dual charging stations, which can also be post mounted where required.

These dual floor chargers are packed full of features, and perfect for commercial environments.

Cat No.

EVA-07D-SE-W

EVA-22D-SE-W

- Type 2 x2 Sockets
- Dual Gun Pro Earth
- Cable Lock System
- 5 Year Warranty
- RFID Control
- Mid Metering Capabilities
- Free Mobile App
- Dynamic Load Balancing

7kW & 22kW Dual Floor AC Charger



The EVA-07D-SE-RFID (single phase) and EVA-22D-SE-RFID (three phase) are floor mounted AC dual charging stations.

These dual floor chargers are packed full of features, and perfect for commercial environments.

Cat No.

EVA-07D-SE-RFID

EVA-22D-SE-RFID

- Type 2 x2 Sockets
- Dual Gun Pro Earth
- Cable Lock System
- 5 Year Warranty
- RFID Control
- Mid Metering Capabilities
- Free Mobile App
- Dynamic Load Balancing

20kW DC Charger



The EVD-20S-P is a three-phase, commercial DC charging unit, featuring a single CCS gun.

These chargers are packed full of features, and perfect for commercial environments.

Cat No.

EVD-20S-P

- CCS Connector
- Rapid Charging
- 18th Edition Compliant
- 5 Year/30,000 Hour Warranty
- RFID Control
- IP54 Protection

40kW DC Charger



The EVD-40S-P and EVD-40D-P-CC are three-phase, commercial DC charging units, featuring both single and dual gun ev charger variants.

These chargers are packed full of features, and perfect for commercial environments.

Cat No.

EVD-40S-P

EVD-40D-P-CC

- CCS Connector
- Rapid Charging
- 18th Edition Compliant
- 5 Year/30,000 Hour Warranty
- RFID Control
- IP54 Protection



80L Air Sourced Hot Water Cylinder



Heating your water alongside infrared technology or GCH, opt for our sleek, smart electric powered hot water cylinder.

The 80L cylinder is ideal for 1-2 bedroom properties, with the exception of having a bath installed.

The 80L cylinder is easy to install by any standard plumber, and has a warranty of 5 years (with a protection of 1 year for electronics).

With a fast heat up time, multiple mode control, legionella protection, and an ERP rating of A+, the 80L cylinder has all the features needed to assist in significantly reducing the properties energy bills.

- 80L Capacity
- 5 Year Warranty
- Fast Heat Up Time
- ERP Rating: A+
- Range of Modes
- Reduces Energy Bills
- High Performance
- Easy To Install

Cat No.

CURV-HP80M5



150L Air Sourced Hot Water Cylinder



Heating your water alongside infrared technology or GCH, opt for our sleek, smart electric powered hot water cylinder.

The 150L cylinder is ideal for 2-3 bedroom properties.

The 150L cylinder is easy to install by any standard plumber, and has a warranty of 5 years (with a protection of 1 year for electronics).

With a fast heat up time, multiple mode control, legionella protection, and an ERP rating of A+, the 150L cylinder has all the features needed to assist in significantly reducing the properties energy bills.

- 150L Capacity
- 5 Year Warranty
- Fast Heat Up Time
- ERP Rating: A+
- Range of Modes
- Reduces Energy Bills
- High Performance
- Easy To Install

Cat No.

CURV-HP150M5



200L Air Sourced Hot Water Cylinder



Heating your water alongside infrared technology or GCH, opt for our sleek, smart electric powered hot water cylinder.

The 200L cylinder is ideal for 3-4 bedroom properties.

The 200L cylinder is easy to install by any standard plumber, and has a warranty of 5 years (with a protection of 1 year for electronics).

With a fast heat up time, multiple mode control, legionella protection, and an ERP rating of A+, the 200L cylinder has all the features needed to assist in significantly reducing the properties energy bills.

- 200L Capacity
- 5 Year Warranty
- Fast Heat Up Time
- ERP Rating: A+
- Range of Modes
- Reduces Energy Bills
- High Performance
- Easy To Install

Cat No.

CURV-HP200M3



250L Air Sourced Hot Water Cylinder



Heating your water alongside infrared technology or GCH, opt for our sleek, smart electric powered hot water cylinder.

The 250L cylinder is ideal for 4-5 bedroom properties.

The 250L cylinder is easy to install by any standard plumber, and has a warranty of 5 years (with a protection of 1 year for electronics).

With a fast heat up time, multiple mode control, legionella protection, and an ERP rating of A+, the 250L cylinder has all the features needed to assist in significantly reducing the properties energy bills.

- 250L Capacity
- 5 Year Warranty
- Fast Heat Up Time
- ERP Rating: A+
- Range of Modes
- Reduces Energy Bills
- High Performance
- Easy To Install

Cat No.

CURV-HP250M3





PureDrive Energy is a game-changer for homeowners

PureDrive Energy home battery system offers a groundbreaking innovation in the field of home battery solutions. With unrivalled performance and unparalleled technical and customer support in the UK.



PUREDRIVE BATTERY

- 10,000 cycles - longest lasting, best value
- 1C rated - fastest charging, maximum savings
- 5kWh, 90% DoD
- Easy to install
- Modular, can stack up to 5 units, making 25kWh
- IP65 rated - indoor and outdoor
- Auto Balancing
- Integrated breaker



PUREDRIVE EV CHARGER

- Superior Quality Design Built to Last
- IP65 - No need to stress about the location of the installation
- IK10 - can withstand severe impact
- U0 is the gold standard for fire retardancy
- OZEV Approved 3-Year Warranty - meets the highest UK government standards



PURASystem™ SMART APP

BATTERY

- Automatic operation of energy suppliers' time-of-use tariffs
- Seamless integration with other Puredrive products
- Power Cut Mode
- Talks to Alexa



PURASystem™ SMART APP

EV CHARGING

- Charge your car with free solar energy
- Charge your car with the lowest-cost, cleanest grid energy
- Use any time-of-use tariff

PSII-5KWH-BAT	
Capacity	5kWh
Battery	LiFePO4 51.2V 100Ah
Cycles	10,000
Management system	High/low voltage Max discharge Cell balancing
Max charge voltage	57V
Discharge cut off voltage	46V
Max charge current	100A
Continuous discharge current	100A
Max discharge current	350A (3 sec)
Operating temperatures	Discharge: -5°C to 60°C Charge: 0°C to 55°C
Dimensions	H737xW386.40xD150.30mm
Weight:	59kg
Compliance	CE, UN38.3, ROHS, MSDS
Warranty	10 years






Smart Home Products




Q Tuya Smart




- Wi-Fi smart in-line connector.
- Daily/weekly time function.
- Countdown or Boost function.
- Manual Override.
- TuyaSmart App controlled.
- Google Home compatible (Google Assistant).
- Amazon Alexa compatible.

WF10COM
Wi-Fi Smart Switch




- IP55 Enclosure with IP68 PG11 Cable Glands.
- Remote access via the Tuya Smart App.
- Captive Locknuts on Cable Glands.
- Google Assistant & Amazon Alexa Compatible.
- Gasket seal protection along the main body and enclosure lid.
- Runs on the Tuya Smart app, available on iOS and android platforms (subject to software requirements).

WF10COMIP
Wi-Fi 10A Smart switch IP55




- Remote controlled from your phone via Wi-Fi and a data connection.
- Can reduce running costs if unwanted programmes are cancelled.
- Supports multiple devices.
- Supports multiple users.
- Permanent ON, Permanent OFF, Boost/Countdown Modes.
- Positive ON/OFF status, with colour coded LED indicators.
- Automatic summer/winter changeover.

FSTWIFITU
Wi-Fi Controlled Fused Spur



- Remote controlled from your phone via Wi-Fi and a data connection.
- Can reduce running costs if unwanted programmes are cancelled.
- Supports multiple devices.
- Supports multiple users.
- Permanent ON, Permanent OFF, Boost/Countdown Modes.
- Positive ON/OFF status, with colour coded LED indicators.
- Automatic summer/winter changeover.

FSTWIFITUTGV
Wi-Fi Smart IP66 Fused Spur Timeswitch





- Adjustable time delay settings in app or offline.
- LUX (light level) adjustment – Day to Night.
- Manual ON/OFF switching override.
- IP55 weatherproof rating.
- Simple and quick to fit terminal block connectors.
- Continues to work offline with loss of a Wi-Fi connection.
- Learn option for custom lux level activation.

WFPIRW & WFPIRB
Wi-Fi Smart PIR Sensor
Also available in black



- Compatible with all existing LEDPRO Floodlights, no extra wiring required.
- Local and Cloud storage options available.
- Adjustable PIR sensitivity and time delay.
- Google Assistant & Amazon Alexa compatible.
- Play & Play terminal connection.
- IP55 rated (when fitted to a LEDPRO floodlight).
- 1080P camera with 270° field of view.

LEDPROCAM
Dedicated LEDPRO Wi-Fi PIR Camera

- Hi-Lo dimming. Floodlight remains on at a dimmed level and illuminates to full brightness when PIR detects movement. Reverts back to dimmed level when detected movement ends. Permanent On & Off modes via app.
- Remote adjustments for the lux, time delay, Hi-Lo dimming, brightness, motion and colour temperature settings direct from the Tuya Smart App.
- Indirect Load Activation: Other compatible Tuya Smart devices can be triggered when the PIR picks up someone in the detection area.
- Simple, snap in wall plate with fast-fix pin terminal block for quick and easy installation.
- Independent Pan & Tilt light aiming adjustment.
- Sleek cooling fin design to prevent intense heat build-up.

LED200WFB
2x 10W LED Wi-Fi PIR Twin Floodlight

Smart Dimmers & Sockets

BRITISH MADE

V-PRO Smart™
Simply Connect

Smart Dimmers



Dim lights with a phone, tablet or the dimmer

Simply replace existing switch or dimmer

No extra wiring & no hub required

Works with Amazon Alexa & Google Home

Dim from multiple switch locations using slaves

Choose non-Wifi master for simple 2-way dimming

V-PRO Smart™ Dimmers

Cat No.

Push On-Off Dimmers with WIFI control

JQSM101W	1-Gang (2-Way with slave) Master Smart Wifi Dimmer 1x 100W LED Supla
JQSM102W	2-Gang (2-Way with slave) Master Smart Wifi Dimmer 2x 100W LED Supla
JQDSM103W	3-Gang (2-Way with slave) Master Smart WiFi Dimmer 3x 100W LED Supla
JQDSM104W	4-Gang (2-Way with slave) Master Smart WiFi Dimmer 4x 100W LED Supla
MJSM100	Smart WiFi Dimmer Module 100W LED Master Supla

Push On-Off Dimmers without WIFI control

JQM101W	1-Gang (2-Way with slave) Master Smart Dimmer 1x 100W LED
JQM102W	2-Gang (2-Way with slave) Master Smart Dimmer 2x 100W LED
JQDM103W	3-Gang (2-Way with slave) Master Smart Dimmer 3x 100W LED
JQDM104W	4-Gang (2-Way with slave) Master Smart Dimmer 4x 100W LED
MJM100	Master Smart Dimmer Module 1x 100W LED (2-Way with Slave)

Use V-Pro Smart Slaves in conjunction with the above products (for use on 2-Way / Multi-Way Circuits)

JQS1W	1-Gang Slave Smart Dimmer LED (for use with V-Pro Smart Master Dimmers on 2-Way)
JQS2W	2-Gang Slave Smart Dimmer LED (for use with V-Pro Smart Master Dimmers on 2-Way)
JQDS3W	3-Gang Slave Smart Dimmer LED (for use with V-Pro Smart Master Dimmers on 2-Way)
JQDS4W	4-Gang Slave Smart Dimmer LED (for use with V-Pro Smart Master Dimmers on 2-Way)
MJS	Slave Smart Dimmer Module (for use with V-Pro Smart Master Dimmers on 2-Way)

V-Pro Smart Dimmer Module Kit - All you need for 2 or 3-Way Dimming

MJKIT2W	V-Pro Smart Non-WiFi Dimmer Kit 120W LED for 2-Way Circuits (1x Master + 1x Slave Module)
MJKIT3W	V-Pro Smart Non-WiFi Dimmer Kit 120W LED for 3-Way Circuits (1x Master + 2x Slave Module)

V-PRO Smart™
Simply Connect

Smart Sockets



Control appliances from your phone

Simple control of hard-to-reach sockets

Supports scene-setting and timer scheduling



Cat No.

Black Inserts ★	White Inserts ☆	Range	Finish Selector
-----------------	-----------------	-------	-----------------

V-PRO Smart™ Sockets

X*5VSB	X*5VSW	Classic Range	See Page 117	2-Gang 13A Single Pole Switched Socket V-Pro Smart Wi-Fi Supla
XD*5VSB	XD*5VSW	Screwless	See Page 123	2-Gang 13A Single Pole Switched Socket V-Pro Smart Wi-Fi Supla
XY5VSB**		Urban	See Page 114	2-Gang 13A Single Pole Switched Socket V-Pro Smart Wi-Fi Supla
XDY5VSB**		Urban Screwless	See Page 114	2-Gang 13A Single Pole Switched Socket V-Pro Smart Wi-Fi Supla

V-TAC SOLAR ENERGY SOLUTIONS!

Discover a comprehensive range of solar products tailored to your energy needs.

“
One Brand.
Endless Possibilities
Under One Roof
”

Join us on the journey towards a brighter, more sustainable future.

With V-TAC's Solar Energy Solutions, the possibilities are endless.



400w to 655w



String and Hybrid Inverters



Storage Solutions



Power on the Go



Mounting Accessories