


**STEARN**  
*Your Other Warehouse*



FOR ALL YOUR  
RENEWABLE & SMART  
TECHNOLOGY NEEDS



lighting **excellence**inside **E** DATA edata@edata.org.ukSourced by a  
**LIAQA**  
ASSURED COMPANY

## LED Smart Lamps

Connected by  
WiZ

### 4lite WiZ Connected Smart Dimmable Lamps

| Cat No           | Code     | Description                                 | Lm   | W   | CCT              | Lifespan | Cap  |
|------------------|----------|---------------------------------------------|------|-----|------------------|----------|------|
| LEDGLS8BCCCTRGBD | 4L1/8002 | LED A60 WiFi/Bluetooth                      | 806  | 8   | 2200-6500K       | 25,000   | B22  |
| LEDGLS8ESCCTRGBD | 4L1/8003 | LED A60 WiFi/Bluetooth                      | 806  | 8   | 2200-6500K       | 25,000   | E27  |
| LEDG9511ESCCTRGB | 4L1/8004 | LED G95 WiFi/Bluetooth                      | 1055 | 11  | 2200-6500K       | 25,000   | E27  |
| LEDGLS8ESWWWD    | 4L1/8005 | LED A60 WiFi/Bluetooth                      | 806  | 8   | 2700K            | 25,000   | E27  |
| LEDGLS8BCWWWD    | 4L1/8006 | LED A60 WiFi/Bluetooth                      | 806  | 8   | 2700K            | 25,000   | B22  |
| LEDCANF4.9SESCCT | 4L1/8007 | LED C37 Filament Clear WiFi/Bluetooth       | 470  | 4.9 | 2700-6500K       | 15,000   | E14  |
| LEDCANF5SES27D   | 4L1/8048 | LED C37 Warm White WiFi/Bluetooth           | 470  | 4.9 | 2700K            | 15,000   | E14  |
| LEDCANF5SESRGBD  | 4L1/8049 | LED C37 RGB WiFi/Bluetooth                  | 470  | 4.9 | 2700-6500K       | 15,000   | E14  |
| LEDCANF5SESCTTD  | 4L1/8050 | LED C35 Filament Amber WiFi/Bluetooth       | 470  | 4.9 | 2000-5000K       | 15,000   | E14  |
| LEDGU104.9CCTD   | 4L1/8042 | LED GU10 Tuneable White WiFi/Bluetooth      | 345  | 4.7 | 2700-6500K       | 15,000   | GU10 |
| LEDGU104.9CCTRGD | 4L1/8052 | LED GU10 Colours & Tuneable Whites WiFi/BLE | 345  | 4.7 | 2200-6500K + RGB | 15,000   | GU10 |

## LED Smart Accessories

Connected by  
WiZ

### 4lite WiZ Connected LED Strip and Accessories

| Cat No   | Description                  |
|----------|------------------------------|
| 4L1/8031 | WiFi Remote Control          |
| 4L1/8035 | WiFi Smart Plug              |
| 4L1/8036 | WiFi Smart Motion PIR Sensor |



## LED Smart Downlights

Connected by  
WiZ

### 4lite WiZ Connected LED Fire Rated Downlight

| Cat No   | Description            | CRI  | BA  | Lm  | W | CCT        | Lifespan | IP   |
|----------|------------------------|------|-----|-----|---|------------|----------|------|
| 4L1/2005 | LED Downlight FRD Ra80 | Ra80 | 70° | 675 | 8 | 2700-6500K | 60,000   | IP65 |

Non smart option also available.

## LED Smart Festoon Lights

Connected by  
WiZ

### 4lite Connected by WiZ LED Smart Colour Changing Festoon

| Cat No   | Description                              | Lm  | W  | CCT        | Lifespan | IP   |
|----------|------------------------------------------|-----|----|------------|----------|------|
| 4L2/7008 | Smart Colour Changing LED Festoon Lights | 120 | 12 | 2700-5000K | 15,000   | IP65 |



## LED Smart Wall/Ceiling Light

Connected by  
WiZ

### 4lite Connected by WiZ LED Circular Surface Wall/Ceiling Light

| Cat No   | Description                                | Lm   | W  | CCT        | Lifespan | IP   |
|----------|--------------------------------------------|------|----|------------|----------|------|
| 4L1/3320 | LED Circular Surface WiFi/Bluetooth Chrome | 1620 | 18 | 3000-4000K | 54,000   | IP54 |
| 4L1/3321 | LED Circular Surface WiFi/ Bluetooth White | 1620 | 18 | 3000-4000K | 54,000   | IP54 |



## LED Smart Outdoor

Connected by  
WiZ

### 4lite Connected by WiZ Outdoor

| Cat No   | Description                    | Lm  | W   | CCT              | Lifespan | IP   |
|----------|--------------------------------|-----|-----|------------------|----------|------|
| 4L2/6102 | Modern E27 Exterior Wall Light | 720 | 6.5 | 2000-4500K       | 15,000   | IP44 |
| 4L2/2010 | Spike Light                    | 345 | 4.9 | 2200-6500K + RGB | 15,000   | IP65 |
| 4L2/2305 | Bi-directional Wall Light      | 345 | 4.9 | 2200-6500K + RGB | 15,000   | IP54 |
| 4L1/8037 | LED Smart Outdoor PIR Sensor   |     |     |                  |          | IP65 |





## ADBLUE10L 10 litre Canister Adblue

- No risk of product contamination
- Integrated spout for ease of use
- Easy to handle thanks to the haft
- Small footprint product for a better adaptation to your display



## BO52021 SUITABLE FOR ALL SCR SYSTEMS

### Key benefits

- Conforms to ISO 22241
- Shelf life of at least 12 months from date of manufacture
- Reduces harmful emissions (NOx)
- Suitable for all Diesel Selective Catalytic Reduction (SCR) systems



## SPB6075 10 litre Canister Adblue

- No risk of product contamination
- Integrated spout for ease of use
- Easy to handle thanks to the haft
- Small footprint product for a better adaptation to your display





# GET CONNECTED TO OUR **WIFI CONTROLLED** HEATING SOLUTION

Our **FREE** Consort  
**Connect** app lets you  
control your heating  
from wherever you are.



GET IT ON  
Google Play

Download on the  
App Store



See our full WiFi enabled product range on page 170.



Complete control via smartphone/ tablet.



Open window detection.



No hub required. Heaters connect  
directly to WiFi.



Occupancy sensor & self-learning  
Automatic mode (only available in 'MW'  
heaters and SLPBWIFI).



All SL Consort heaters can be controlled  
by the app via SLPBWIFI\* wireless  
controller.



View energy usage of all connected  
heaters in the last day, week, month  
and year.



4 Modes - Frost, Automatic, Manual and  
Boost.

\*The SLPBWIFI wireless controller connects to Consort Connect app which provides the programming and energy saving features, including Boost.

# Connect. Combine. Control


With Dimplex Control, managing your heating and hot water has never been easier.

See our full RF connected product range on page 180

**Whole  
Home  
Heating  
Solutions**

## Dimplex® Control

Control and monitor your heating and hot water with Dimplex Control. Group heaters into zones to easily control and track their energy usage. Any time. Anywhere.



The Dimplex Control App



Dimplex Hub



**Quantum**  
HHR Storage Heater



**Q-Rad**  
Electric Radiator



**Edel**  
Hot Water  
Heat Pump



**PLXE**  
Panel Heater



**LSTE**  
Panel Heater



Product requires  
a Dimplex Hub  
sold separately



Product requires a  
Radio Frequency Module  
sold separately

Demand for **connected home heating solutions** is soaring, with more UK consumers than ever passionate about taking control and reducing their energy bills.

Stay ahead – be prepared to meet this growing demand and ensure you have the **Dimplex Control** products your customers want!





# Edel Hot Water Heat Pump

An electric water cylinder which uses ducted ambient air to renewably provide domestic hot water



With a CoP up to 3.36, Edel is up to three times cheaper to run than a direct electric alternative



Very quiet operation due to sound proof hood, variable speed fan and a high performance rotary compressor mounted on anti-vibration pads



Compact unit with up to 630mm diameter with options of 170L, 200L or 270L storage



Stainless steel tank with five year UK guarantee and no requirement for a sacrificial anode



| Cat No                | ErP Rating                   | Product          | Dimensions (mm) |
|-----------------------|------------------------------|------------------|-----------------|
| <b>EDL170-520RF</b>   | A+                           | 170L Cylinder RF | Ø520 x H1760mm  |
| <b>EDL200UK-630RF</b> | A+                           | 200L Cylinder RF | Ø630 x H1460mm  |
| <b>EDL270UK-630RF</b> | A+                           | 270L Cylinder RF | Ø630 x H1780mm  |
| <b>EDL170VK</b>       | Edel 170L Vent Kit           |                  |                 |
| <b>EDL170VEK</b>      | Edel 170L Vent Extension Kit |                  |                 |



Scan to watch the video

To find out more visit [dimplex.co.uk](https://dimplex.co.uk)



## The Wiser™ options



### Wiser Thermostat Kit 1

One channel thermostat pack ideal for combi-boilers. Enables you to control heating via the Wiser Heat app.

#### Cat No.

WT714R9K0902



### Wiser Thermostat Kit 2

Two channel thermostat pack ideal for conventional systems. Enables you to control heating and hot water via the Wiser Heat app. Wire in existing cylinder thermostat for hot water control.

#### Cat No.

WT724R9K0902



### Wiser Multi-zone Kit 1

One channel thermostat system with two radiator thermostats to start zoning your system. Suitable for combination boilers. Control the room thermostat and radiator thermostats via the Wiser Heat app. Add more radiator valves to create more independent zones.

#### Cat No.

WT714R9K0902



### Wiser Multi-zone Kit 2

Two channel thermostat system with two radiator thermostats to start zoning your system. Suitable for conventional boilers. Set schedules for the room thermostat, radiator thermostats and hot water via the Wiser Heat app. Add more radiator valves to create more independent zones.

#### Cat No.

WT724R9K0902

Life Is On

Drayton  
by Schneider Electric



### Wiser Thermostat Kit 3

Three channel thermostat pack ideal for properties with two heating zones. Enables you to control heating and hot water via the Wiser Heat app. Wire in existing cylinder thermostat for hot water control.

#### Cat No.

WT734R9K0902



### Expand your Smart Home

Expand your Wiser system with additional radiator thermostats to create smart rooms.

#### Cat No.

WT704R0A0902

Use the Wiser Plug to schedule your home electrical appliances from the Wiser Heat app.

#### Cat No.

WB704H1A0902

## Wiser™ 2nd Generation for Heating & Smart Home Automation



### Wiser 1 Channel Hub

1 Channel Hub provides control of heating

#### Cat No.

CCTFR6311G2D



### Wiser 2 Channel Hub

2 Channel Hub provides control of heating & hot water

#### Cat No.

CCTFR6312G2D



### Wiser 3 Channel Hub

2 Channel Hub provides control of 2 heating zones & hot water

#### Cat No.

CCTFR6313G2D



### Wiser Window & Door Sensor

#### Cat No.

CCT591012



### Wiser Motion Sensor

#### Cat No.

CCT595012



### Wiser Water Leakage Sensor

#### Cat No.

CCT592012



### Wiser Micro Module Shades Control

#### Cat No.

CCT5015-0002W



### Wiser Battery Smoke Alarm

#### Cat No.

CCT599002



### Wiser Power Micro Module

#### Cat No.

CCTFR6730



### Wiser Micro Module Dimmer

#### Cat No.

CCT5010-0003



### Wiser Temperature & Humidity Sensor

#### Cat No.

CCT593012



# Haier

## EIP+ SERIES AIR SOURCE HEAT PUMP WATER HEATERS



M8 CYLINDER  
WALL MOUNTED



- The R290 refrigerant offers excellent thermodynamic performance, allowing for higher water temperatures
- Full inverter technology and micro-channel condenser, resulting in lower energy consumption and higher heating efficiency
- Micro-channel condenser upgraded for R290 refrigerant
- Dual power heating, enables faster hot water production
- Equipped with a TFT screen and smart connectivity
- Easy installation

M7 CYLINDER  
FLOOR STANDING

| Cat. No.   | Litres | Size (mm)    |
|------------|--------|--------------|
| HP150M8-9  | 150    | 492×537×1680 |
| HP200M7-F9 | 200    | 600×620×1694 |
| HP250M7-F9 | 250    | 600×620×1989 |



### G3 KIT INCLUDES

Potable Expansion Vessel, 15mm temperature/pressure relief valve, 15/22mm straight tundish, Pressure reducing valve



## 80L Air Sourced Hot Water Cylinder



Heating your water alongside infrared technology or GCH, opt for our sleek, smart electric powered hot water cylinder.

The 80L cylinder is ideal for 1-2 bedroom properties, with the exception of having a bath installed.

The 80L cylinder is easy to install by any standard plumber, and has a warranty of 5 years (with a protection of 1 year for electronics).

With a fast heat up time, multiple mode control, legionella protection, and an ERP rating of A+, the 80L cylinder has all the features needed to assist in significantly reducing the property's energy bills.

- 80L Capacity
- Fast Heat Up Time
- Range of Modes
- High Performance
- 5 Year Warranty
- ERP Rating: A+
- Reduces Energy Bills
- Easy To Install
- R290 Refrigerant
- Control via Curv app
- H1184xW492xD547mm

 INCLUDING 12LTR G3 INSTALLATION KIT



Cat No.

CURV-HP80M8-G3

## 110L Air Sourced Hot Water Cylinder



## 110L Air Sourced Hot Water Cylinder

Heating your water alongside infrared technology or GCH, opt for our sleek, smart electric powered hot water cylinder.

The 110L cylinder is ideal for 2-3 bedroom properties, with the exception of having a bath installed.

The 110L cylinder is easy to install by any standard plumber, and has a warranty of 5 years (with a protection of 1 year for electronics).

With a fast heat up time, multiple mode control, legionella protection, and an ERP rating of A+, the 110L cylinder has all the features needed to assist in significantly reducing the property's energy bills.

- 110L Capacity
- Fast Heat Up Time
- Range of Modes
- High Performance
- 5 Year Warranty
- ERP Rating: A+
- Reduces Energy Bills
- Easy To Install
- R290 Refrigerant
- Control via Curv app
- H1334xW492xD547mm

 INCLUDING 12LTR G3 INSTALLATION KIT



Cat No.

CURV-HP110M8-G3

## 150L Air Sourced Hot Water Cylinder

## 150L Air Sourced Hot Water Cylinder



Heating your water alongside infrared technology or GCH, opt for our sleek, smart electric powered hot water cylinder.

The 150L cylinder is ideal for 2-3 bedroom properties, with the exception of having a bath installed.

The 150L cylinder is easy to install by any standard plumber, and has a warranty of 5 years (with a protection of 1 year for electronics).

With a fast heat up time, multiple mode control, legionella protection, and an ERP rating of A+, the 150L cylinder has all the features needed to assist in significantly reducing the property's energy bills.

- 150L Capacity
- Fast Heat Up Time
- Range of Modes
- High Performance
- 5 Year Warranty
- ERP Rating: A+
- Reduces Energy Bills
- Easy To Install
- R290 Refrigerant
- Control via Curv app
- H1694xW492xD547mm

 INCLUDING 19LTR G3 INSTALLATION KIT



Cat No.

CURV-HP150M8-G3

## 200L Air Sourced Hot Water Cylinder



Heating your water alongside infrared technology or GCH, opt for our sleek, smart electric powered hot water cylinder.

The 200L cylinder is ideal for 3-4 bedroom properties, with the exception of having a bath installed.

The 200L cylinder is easy to install by any standard plumber, and has a warranty of 5 years (with a protection of 1 year for electronics).

With a fast heat up time, multiple mode control, legionella protection, and an ERP rating of A+, the 200L cylinder has all the features needed to assist in significantly reducing the property's energy bills.

- 200L Capacity
- Fast Heat Up Time
- Range of Modes
- High Performance
- 5 Year Warranty
- ERP Rating: A+
- Reduces Energy Bills
- Easy To Install
- R290 Refrigerant
- Control via Curv app
- H1940xW600xD620mm

 INCLUDING 19LTR G3 INSTALLATION KIT



Cat No.

CURV-HP200M7-G3

## 250L Air Sourced Hot Water Cylinder



Heating your water alongside infrared technology or GCH, opt for our sleek, smart electric powered hot water cylinder.

The 250L cylinder is ideal for 4-5 bedroom properties, with the exception of having a bath installed.

The 250L cylinder is easy to install by any standard plumber, and has a warranty of 5 years (with a protection of 1 year for electronics).

With a fast heat up time, multiple mode control, legionella protection, and an ERP rating of A+, the 250L cylinder has all the features needed to assist in significantly reducing the property's energy bills.

- 250L Capacity
- Fast Heat Up Time
- Range of Modes
- High Performance
- 5 Year Warranty
- ERP Rating: A+
- Reduces Energy Bills
- Easy To Install
- R290 Refrigerant
- Control via Curv app
- H1989xW600xD620mm

 INCLUDING 24LTR G3 INSTALLATION KIT



Cat No.

CURV-HP250M7-G3



### APEX 7kW Pro Earth AC Charger



The APEX units are single-phase AC EV charger packed full of features, including a five-year warranty, built-in PEN, integral Type A RCBO, and surge protection. The APEX has both WiFi and Bluetooth connectivity, with intelligent solar capabilities, and dynamic load-balancing, up to 96 charge points.

|              |
|--------------|
| Cat No.      |
| APEX-7S      |
| Cat No.      |
| APEX-7S-4G   |
| APEX-7S-T    |
| APEX-7S-T-4G |

- Type 2 Socket
- Pro Earth Pen Fault Protection
- Intelligent Solar
- 5 Year Warranty\*
- Free Mobile App
- Intelligent Dynamic Load Balancing

\*Subject to terms and conditions

### 20kW DC Charger



The EVD-20S-P is a three-phase, commercial DC charging unit, featuring a single CCS gun.

These chargers are packed full of features, and perfect for commercial environments.

|           |
|-----------|
| Cat No.   |
| EVD-20S-P |

- CCS Connector
- Rapid Charging
- 18th Edition Compliant
- 5 Year/30,000 Hour Warranty
- RFID Control
- IP54 Protection

### 7kW & 22kW Dual Floor AC Charger



The EVA-07D-SE-RFID (single phase) and EVA-22D-SE-RFID (three phase) are floor mounted AC dual charging stations.

These dual floor chargers are packed full of features, and perfect for commercial environments.

|                 |
|-----------------|
| Cat No.         |
| EVA-07D-SE-RFID |

- Type 2 x2 Sockets
- Dual Gun Pro Earth
- Cable Lock System
- 5 Year Warranty
- RFID Control
- Mid Metering Capabilities
- Free Mobile App
- Dynamic Load Balancing

### 40kW DC Charger



The EVD-40S-P and EVD-40D-P-CC are three-phase, commercial DC charging units, featuring both single and dual gun ev charger variants.

These chargers are packed full of features, and perfect for commercial environments.

|              |
|--------------|
| Cat No.      |
| EVD-40S-P    |
| EVD-40D-P-CC |

- CCS Connector
- Rapid Charging
- 18th Edition Compliant
- 5 Year/30,000 Hour Warranty
- RFID Control
- IP54 Protection



## T6R Smart Programmable thermostat

You can enjoy optimal comfort in your home or simply control from within the Resideo app. Comfort at home, energy savings when away. It's that simple.

- Touch-screen interface offers easy and optimal heating adjustment
- Access via a mobile device lets customers have complete control, anytime, anywhere
- Smart automated boiler control delivers better performance and superior energy efficiency
- Pre-configured scheduling gives customers a choice of settings to suit their need
- Location-based programming (geo-fencing) an additional automated layer of control, adjusting the customer's home heating based on their location



| Cat No.      | Description                                       |
|--------------|---------------------------------------------------|
| Y6H920RW5031 | T6R Two Channel Smart Thermostat<br>- Wall Mount  |
| Y6H920RW4026 | T6R Two Channel Smart Thermostat<br>- Table Stand |



## evohome Smart home controls

A smart, connected heating system offering control of up to 12 heating zones and hot water. Helping customers manage their comfort level and heating costs in a way that suits them.

- Scalable system - can be used as a single zone thermostat or can control up to 12 heating zones
- Ability to control hot water, time and temperature
- This system can also control underfloor heating



| Cat No.     | Description                                                                                              | Erp Class |
|-------------|----------------------------------------------------------------------------------------------------------|-----------|
| ATF500DHW   | evohome hot water kit                                                                                    |           |
| ATP921R3100 | evohome Wifi connected thermostat pack                                                                   | VIII 5%   |
| ATP926G3001 | evohome essentials pack<br>Contents include 1x evohome connected thermostat 6x HR91 Radiator controllers |           |
| HR92UK      | evohome radiator controller                                                                              |           |
| HR924UK     | evohome radiator multizone                                                                               |           |
| ATF800      | evohome desk stand                                                                                       |           |
| ATF600      | evohome wall mount kit                                                                                   |           |
| R8810A1018  | OpenTherm bridge                                                                                         |           |
| ATC928G3000 | evohome controller<br>(table stand not included)                                                         | VIII 5%   |





# Smart Home Products

## In-line Wi-Fi Smart Switch



- Wi-Fi smart in-line connector.
- Daily/weekly time function.
- Countdown or Boost function.
- Manual Override.
- TuyaSmart App controlled.
- Google Home compatible (Google Assistant).
- Amazon Alexa compatible.



**WF10COM**

Wi-Fi Smart Switch



## Wi-Fi Controlled Fused Spur



- Remote controlled from your phone via Wi-Fi and a data connection.
- Can reduce running costs if unwanted programmes are cancelled.
- Supports multiple devices.
- Supports multiple users.
- Permanent ON, Permanent OFF, Boost/Countdown Modes.
- Positive ON/OFF status, with colour coded LED indicators.
- Automatic summer/winter changeover.



**FSTWIFITU**

Wi-Fi Controlled Fused Spur



## Outdoor Power



WEATHERSAFE  
**IP66**  
RATING

- Remote controlled from your phone via Wi-Fi and a data connection.
- Can reduce running costs if unwanted programmes are cancelled.
- Supports multiple devices.
- Supports multiple users.
- Permanent ON, Permanent OFF, Boost/Countdown Modes.
- Positive ON/OFF status, with colour coded LED indicators.
- Automatic summer/winter changeover.



**FSTWIFITUTGV**

Wi-Fi Smart IP66  
Fused Spur Timeswitch



## Solar PV Controller



- Cut the cost of water heating in your home
- Reduce the use of your boiler
- Maximise the use of free solar energy generated at your property

**PV1000**

Boostmaster PV Boost  
PV Immersion Controller

## Smart Dimmers &amp; Sockets

BRITISH MADE  Simply Connect

## Smart Dimmers

 Dimmers

Cat No.

## Push On-Off Dimmers with WiFi control

|           |                                             |
|-----------|---------------------------------------------|
| JQSM101W  | 1-Gang Master Smart WiFi Dimmer 1x 100W LED |
| JQSM102W  | 2-Gang Master Smart WiFi Dimmer 2x 100W LED |
| JQDSM103W | 3-Gang Master Smart WiFi Dimmer 3x 100W LED |
| JQDSM104W | 4-Gang Master Smart WiFi Dimmer 4x 100W LED |
| MJSM100   | Master Smart WiFi Dimmer Module 100W LED    |

Use V-Pro Smart Companions in conjunction with the above products (for use on 2-Way / Multi-Way Circuits)

|        |                                |
|--------|--------------------------------|
| JQS1W  | 1-Gang White Plastic Companion |
| JQS2W  | 2-Gang White Plastic Companion |
| JQDS3W | 3-Gang White Plastic Companion |
| JQDS4W | 4-Gang White Plastic Companion |
| MJS    | Companion Dimmer Module Only   |

 Simply Connect

## Smart Sockets



Cat No.

|               |   |               |   |       |                 |
|---------------|---|---------------|---|-------|-----------------|
| Black Inserts | ★ | White Inserts | ★ | Range | Finish Selector |
|---------------|---|---------------|---|-------|-----------------|

 Sockets

|           |          |                 |                                                                                     |                                                                |
|-----------|----------|-----------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------|
| X*5VSB    | X*5VSW   | Classic Range   |  | 2-Gang 13A Single Pole Switched Socket V-Pro Smart Wi-Fi Supla |
| XD*5VSBs  | XD*5VSWs | Screwless       |                                                                                     | 2-Gang 13A Single Pole Switched Socket V-Pro Smart Wi-Fi Supla |
| XY5VSB*   |          | Urban           |                                                                                     | 2-Gang 13A Single Pole Switched Socket V-Pro Smart Wi-Fi Supla |
| XDY5VSBs* |          | Urban Screwless |                                                                                     | 2-Gang 13A Single Pole Switched Socket V-Pro Smart Wi-Fi Supla |

See Wiring Accessory pages



## SOLAR ENERGY

## HIENERGY ALL-IN-ONE ESS WITH WIFI MODULE

HICONICS  
A member of Midea group

Cat No 119881

Hybrid Inverter - Single Phase

**3.6KW/5KWH**

Inverter/Battery



Scan QR code for Datasheet

Cat No 119891

Hybrid Inverter - Single Phase

**5KW/10KWH**

Inverter/Battery



Scan QR code for Datasheet

Cat No 119821

Hybrid Inverter - Single Phase

**6KW/10KWH**

Inverter/Battery



Scan QR code for Datasheet

Cat No 119901

Hybrid Inverter - Three Phase

**10KW/10KWH**

Inverter/Battery



Scan QR code for Datasheet

Cat No 122431


Hybrid Inverter - Three Phase

**15KW/15KWH**

Inverter/Battery



Scan QR code for Datasheet

SLIM  
AESTHETICS  
**160MM**

## 5 LAYER PROTECTION



70% Less Wiring Time

Peace of Mind  
**10 years**  
warranty  
for PCS & battery packs

## HIGH VOLTAGE BATTERY

Cat No 11983

Single Phase

**5KWH**

Cat No 11999

Three Phase

**5KWH**

## BMS CONNECTOR BOX

Cat No 11984

Single Phase

Cat No 12000

Three Phase

Cat No 12153

2m Parallel cable  
For battery pack  
capacity expansion